



Camouflage

Components Product Guide

A Legacy of Concealment. A New Era of Innovation.


For decades, the Larson™ concealment line has set the standard for blending wireless infrastructure into the built and natural environment. Known for realistic designs, durable materials, and custom-engineered solutions, Larson™ has helped transform towers, monopoles, rooftops, and site equipment into concealment structures that preserve aesthetics while expanding network capability.

Today, Larson™ is building on that legacy with innovations that address the demands of modern RF environments. With advanced PIM-friendly branch and frond solutions, Larson™ is addressing one of the industry's most persistent concealment challenges by helping reduce signal interference concerns often associated with traditional concealment materials. These next-generation solutions combine realistic appearance with performance-driven design, helping customers support network objectives without compromising the site's visual integrity.

From pine and broadleaf canopies to date palm and fan palm applications, Larson™ continues to evolve concealment for both new and existing structures. The result is a portfolio designed not only to look right in the field, but to work harder for the networks of today and tomorrow.

Table of Contents

Natural Camouflage	4	Palm Concealment Date Frond	15
Antenna & RRU Socks	6	Branches & Date Palm Integrated Mounts	16
Antenna Socks	6	Palm Concealment PIM Friendly Date Frond	16
RRU Socks	7	Porcu-Palm Mount	16
Vinyl Films	8	Date Palm Integrated Mounts & Date Palm Frond Accessories	17
Branches	9	Date Palm Band Clamp	17
Antenna Concealment Branch	9	Date Palm Bent Angle Adapter	17
Pine Concealment Branch	10	Date Palm Frond Accessories	18
Pine Legacy Concealment Branch	11	Date Palm Receiver Adapter	18
Elm Concealment Branch	12	Pineapple	18
Eucalyptus Concealment Branch	13	Architectural Camouflage	19
Tree Stubs	14	Monopole Structures	20
PIM Tree Stubs	14	Canister (w/o Venting)	20
Bolt-On Branch Receiver	15	Canisters (w/ Venting)	22

The background of the slide features a photograph of several tall palm trees against a clear sky. The entire image is covered with a semi-transparent blue filter. Superimposed on the palm trees are several vertical, rectangular cellular antennas, which are also semi-transparent and blend into the blue overlay, illustrating the concept of natural camouflage.


Natural Camouflage

Branch Style & Generations Configuration Guide

Use this guide to compare antenna branch styles and understand the visual differences between Standard (Gen 3) and Premium (Gen 2) branch configurations across Larson™ branch families.


Antenna Branch Styles

Antenna branch styles are shown below without foliage for easier comparison.



Standard (Gen 3) vs. Premium (Gen 2) Branch Comparison

Standard (Gen 3) branch assemblies include only primary and secondary branches. Premium (Gen 2) branch assemblies include primary, secondary, and tertiary branches.



Antenna Socks

These products conceal antennas on mono-pine, mono-palm, mono-elm, and mono-eucalyptus towers.

- Available in various lengths and widths (covers antenna plus depth, times two).
- Includes attachment ties; palm "shadow" socks made of UV-resistant mesh.
- UV-resistant and built for prolonged outdoor exposure.



Heavy Density Eucalyptus, Pine, Elm, & Shadow Socks Shown



Standard Density Eucalyptus, Pine, & Elm Shown

SKU	CEQ #	Type	Density	Length	Width	Weight
LCAS-72PIN-SWSF	—	Pine	Standard	6'	3'	7 lbs.
LCAS-72PIN-SWHF	ANT.67397	Pine	Heavy	6'	3'	8 lbs.
LCAS-72PIN-XWSF	—	Pine	Standard	6'	4'	7 lbs.
LCAS-72PIN-XWHF	ANT.67462	Pine	Heavy	6'	4'	9 lbs.
LCAS-96PIN-SWSF	—	Pine	Standard	8'	3'	7 lbs.
LCAS-96PIN-SWHF	ANT.67420	Pine	Heavy	8'	3'	9 lbs.
LCAS-96PIN-XWSF	—	Pine	Standard	8'	4'	8 lbs.
LCAS-96PIN-XWHF	ANT.67410	Pine	Heavy	8'	4'	10 lbs.
LCAS-72ELM-SWSF	—	Elm	Standard	6'	3'	5 lbs.
LCAS-72ELM-SWHF	ANT.67460	Elm	Heavy	6'	3'	5 lbs.
LCAS-72ELM-XWSF	—	Elm	Standard	6'	4'	6 lbs.
LCAS-72ELM-XWHF	ANT.67433	Elm	Heavy	6'	4'	6 lbs.
LCAS-96ELM-SWSF	—	Elm	Standard	8'	3'	6 lbs.
LCAS-96ELM-SWHF	ANT.67390	Elm	Heavy	8'	3'	8 lbs.
LCAS-96ELM-XWSF	—	Elm	Standard	8'	4'	7 lbs.
LCAS-96ELM-XWHF	ANT.67392	Elm	Heavy	8'	4'	10 lbs.
LCAS-72EUC-SWSF	—	Eucalyptus	Standard	6'	3'	5 lbs.
LCAS-72EUC-SWHF	ANT.67428	Eucalyptus	Heavy	6'	3'	7 lbs.
LCAS-72EUC-XWSF	—	Eucalyptus	Standard	6'	4'	6 lbs.
LCAS-72EUC-XWHF	ANT.67441	Eucalyptus	Heavy	6'	4'	8 lbs.
LCAS-96EUC-SWSF	—	Eucalyptus	Standard	8'	3'	6 lbs.
LCAS-96EUC-SWHF	ANT.67388	Eucalyptus	Heavy	8'	3'	6 lbs.
LCAS-96EUC-XWSF	—	Eucalyptus	Standard	8'	4'	8 lbs.
LCAS-96EUC-XWHF	ANT.67389	Eucalyptus	Heavy	8'	4'	8 lbs.
LCAS-72DP-SW	ANT.67422	Palm	Shadow	6'	3'	3 lbs.
LCAS-96DP-SW	ANT.67431	Palm	Shadow	8'	3'	3 lbs.

RRU Socks

These products conceal radios within a foliated envelope while allowing airflow to prevent overheating.

- Integrated steel mounting frame attaches directly to antenna pipe and includes sock attachment ties.
- Mounting frame supplied with brown painted finish to blend with tree structure.
- UV-resistant for extended outdoor durability.



Heavy Density Eucalyptus, Pine, & Elm
Socks Shown



Standard Density Eucalyptus, Pine, & Elm
Socks Shown

SKU	CEQ #	Type	Density	Length	Width	Weight
LCRS-36PIN-SWSF	—	Pine	Standard	3.0'	18"	19 lbs.
LCRS-36PIN-SWHF	ANT.67443	Pine	Heavy	3.0'	18"	21 lbs.
LCRS-36PIN-XWSF	—	Pine	Standard	3.0'	27"	21 lbs.
LCRS-36PIN-XWHF	ANT.67458	Pine	Heavy	3.0'	27"	23 lbs.
LCRS-48PIN-SWSF	—	Pine	Standard	4.0'	18"	20 lbs.
LCRS-48PIN-SWHF	ANT.67412	Pine	Heavy	4.0'	18"	22 lbs.
LCRS-48PIN-XWSF	—	Pine	Standard	4.0'	27"	23 lbs.
LCRS-48PIN-XWHF	ANT.67400	Pine	Heavy	4.0'	27"	22 lbs.
LCRS-36ELM-SWSF	—	Elm	Standard	3.0'	18"	18 lbs.
LCRS-36ELM-SWHF	ANT.67429	Elm	Heavy	3.0'	18"	20 lbs.
LCRS-36ELM-XWSF	—	Elm	Standard	3.0'	27"	20 lbs.
LCRS-36ELM-XWHF	ANT.67457	Elm	Heavy	3.0'	27"	22 lbs.
LCRS-48ELM-SWSF	—	Elm	Standard	4.0'	18"	19 lbs.
LCRS-48ELM-SWHF	ANT.67442	Elm	Heavy	4.0'	18"	19 lbs.
LCRS-48ELM-XWSF	—	Elm	Standard	4.0'	27"	21 lbs.
LCRS-48ELM-XWHF	ANT.67445	Elm	Heavy	4.0'	27"	10 lbs.
LCRS-36EUC-SWSF	—	Eucalyptus	Standard	3.0'	18"	18 lbs.
LCRS-36EUC-SWHF	ANT.67394	Eucalyptus	Heavy	3.0'	18"	20 lbs.
LCRS-36EUC-XWSF	—	Eucalyptus	Standard	3.0'	27"	20 lbs.
LCRS-36EUC-XWHF	ANT.67451	Eucalyptus	Heavy	3.0'	27"	20 lbs.
LCRS-48EUC-SWSF	—	Eucalyptus	Standard	4.0'	18"	19 lbs.
LCRS-48EUC-SWHF	ANT.67424	Eucalyptus	Heavy	4.0'	18"	21 lbs.
LCRS-48EUC-XWSF	—	Eucalyptus	Standard	4.0'	27"	22 lbs.
LCRS-48EUC-XWHF	ANT.67402	Eucalyptus	Heavy	4.0'	27"	22 lbs.
LCRS-36DP-SW	ANT.67456	Palm	Shadow	3.0'	18"	16 lbs.
LCRS-36DP-XW	ANT.67419	Palm	Shadow	3.0'	27"	17 lbs.
LCRS-48DP-SW	ANT.67423	Palm	Shadow	4.0'	18"	16 lbs.
LCRS-48DP-XW	ANT.67425	Palm	Shadow	4.0'	27"	18 lbs.

Vinyl Films

Through Valmont Telecom's ConcealFab product line, these vinyl films help further conceal Antennas, RRUs, and other equipment. These films are easy to install, safe for antennas at any spectrum, includes a hydrophobic coating to shed water and comes in any color for fast site approvals.

- Sold by the foot length, these Vinyl Films come in 59" width to fit various Antennas, RRUs, and other equipment
- Available in black, brown, silver, gray, or custom color options
- With purchase, indicate the length and color required
- For Green, use 900864-00

SKU	CEQ #	Length	Width	Color	Weight
900864-1	CEQ.48139	Sold by the Foot	59"	Black	0.35 lbs.
900864-2	CEQ.48132	Sold by the Foot	59"	Brown	0.35 lbs.
900864-3	CEQ.48138	Sold by the Foot	59"	Gray	0.35 lbs.
900864-4	CEQ.48133	Sold by the Foot	59"	Silver	0.35 lbs.
900864-00	CEQ.48135	Sold by the Foot	59"	Custom Color	0.35 lbs.



Antenna Concealment Branch

These concealment Branches mimic various foliage for effective antenna concealment in the corresponding mono-tree type. Available in fan, medium, long, and tip styles, they attach securely to compatible antenna pipes with included hardware.

- Various foliage options for realistic concealment
- Mounts securely to standard 2" (2-3/8" OD) antenna pipe (not included)
- Includes (2) band clamps and (2) self-tapping screws for secure installation
- Tethered branch styles are equipped with an internal safety restraint that temporarily prevents the branch from falling if damaged

SKU	CEQ #	Type	Description	Weight
LCAB-FANPIN	—	Pine	Fan	7 lbs.
LCAB-MEDPIN	—	Pine	Medium	9 lbs.
LCAB-LNGPIN	—	Pine	Long	12 lbs.
LCAB-TIPPIN	—	Pine	Tip	5 lbs.
LCAB-TFANPIN	ANT.67405	Pine	Fan Tethered	7 lbs.
LCAB-TMEDPIN	ANT.67404	Pine	Medium Tethered	9 lbs.
LCAB-TLNGPIN	ANT.67448	Pine	Long Tethered	12 lbs.
LCAB-TTIPPIN	ANT.67391	Pine	Tip Tethered	5 lbs.
LCAB-FANELM	—	Elm	Fan	7 lbs.
LCAB-MEDEL	—	Elm	Medium	9 lbs.
LCAB-LNGELM	—	Elm	Long	12 lbs.
LCAB-TIPELM	—	Elm	Tip	5 lbs.
LCAB-TFANELM	ANT.67432	Elm	Fan Tethered	7 lbs.
LCAB-TMEDEL	ANT.67461	Elm	Medium Tethered	9 lbs.
LCAB-TLNGELM	ANT.67398	Elm	Long Tethered	12 lbs.
LCAB-TTPELM	ANT.67421	Elm	Tip Tethered	5 lbs.
LCAB-FANEUC	—	Eucalyptus	Fan	7 lbs.
LCAB-MEDEUC	—	Eucalyptus	Medium	9 lbs.
LCAB-LNGEUC	—	Eucalyptus	Long	12 lbs.
LCAB-TIPEUC	—	Eucalyptus	Tip	5 lbs.
LCAB-TFANEUC	ANT.67463	Eucalyptus	Fan Tethered	7 lbs.
LCAB-TMEDEUC	ANT.67453	Eucalyptus	Medium Tethered	9 lbs.
LCAB-TLNGEUC	ANT.67434	Eucalyptus	Long Tethered	12 lbs.
LCAB-TTPEUC	ANT.67415	Eucalyptus	Tip Tethered	5 lbs.



Pine Concealment Branch

These concealment Branches mimic Pine foliage for effective antenna concealment. Available in standard, top, and crossarm styles, they mount securely on compatible pipes or stubs with included hardware.

- Pine foliage for realistic concealment
- Fits over standard 1" pipe / 1-1/4" OD pipe/stub (not included)
- Includes (2) 1/4" x 3-1/2" bolts, nylock nuts, and washer sets
- Tethered branch styles are equipped with an internal safety restraint that temporarily prevents the branch from falling if damaged
- Premium branch styles offer tertiary arms that enhance foliage density for a heavier coverage appearance



SKU	CEQ #	Type	Description	PIM Stub Compatible	Weight
LCSB-XRM24PIN	—	Pine	2' Crossarm	Yes	4 lbs.
LCSB-G348PIN	—	Pine	4' Standard	Yes	10 lbs.
LCSB-G372PIN	—	Pine	6' Standard	Yes	21 lbs.
LCSB-G396PIN	—	Pine	8' Standard	Yes	27 lbs.
LCSB-G3120PIN	—	Pine	10' Standard	Yes	35 lbs.
LCSB-G3144PIN	ANT.67836	Pine	12' Standard	No	70 lbs.
LCSB-G3168PIN	ANT.67837	Pine	14' Standard	No	91 lbs.
LCSB-G3192PIN	ANT.67838	Pine	16' Standard	No	118 lbs.
LCTB-G360PIN	—	Pine	5' Top	Yes	13 lbs.
LCSB-TG348PIN	ANT.67439	Pine	4' Standard Tethered	Yes	10 lbs.
LCSB-TG372PIN	ANT.67407	Pine	6' Standard Tethered	Yes	21 lbs.
LCSB-TG396PIN	ANT.67466	Pine	8' Standard Tethered	Yes	27 lbs.
LCSB-TG3120PIN	ANT.67427	Pine	10' Standard Tethered	Yes	35 lbs.
LCSB-TG3144PIN	ANT.67839	Pine	12' Standard Tethered	No	70 lbs.
LCSB-TG3168PIN	ANT.67840	Pine	14' Standard Tethered	No	91 lbs.
LCSB-TG3192PIN	ANT.67841	Pine	16' Standard Tethered	No	118 lbs.
LCTB-TG360PIN	ANT.67464	Pine	5' Top Tethered	Yes	13 lbs.
LCSB-G248PIN	—	Pine	4' Premium	Yes	11 lbs.
LCSB-G272PIN	—	Pine	6' Premium	Yes	21 lbs.
LCSB-G296PIN	—	Pine	8' Premium	Yes	30 lbs.
LCSB-G2120PIN	—	Pine	10' Premium	Yes	38 lbs.
LCSB-G2144PIN	ANT.67842	Pine	12' Premium	No	76 lbs.
LCSB-TG248PIN	ANT.67411	Pine	4' Premium Tethered	Yes	11 lbs.
LCSB-TG272PIN	ANT.67437	Pine	6' Premium Tethered	Yes	23 lbs.
LCSB-TG296PIN	ANT.67430	Pine	8' Premium Tethered	Yes	30 lbs.
LCSB-TG2120PIN	ANT.67450	Pine	10' Premium Tethered	Yes	38 lbs.
LCSB-TG2144PIN	ANT.67843	Pine	12' Premium Tethered	No	76 lbs.

Pine Legacy Concealment Branch

Larson Legacy Pine Antenna Branches and Branches can be used as replacement branches on Larson Legacy Mono-Pines.

- Pine foliage for realistic concealment
- Larson Legacy Pine Antenna Branches and Crown Branch fit on Larson 2-5/8" OD Round Pipe
- Larson Legacy Pine Branches fit on Larson 3-5/8" OD Round Pipe
- Required Hardware included
- Legacy branch styles have quaternary arms



SKU	CEQ #	Foliage Type	Branch Type	Description	Branch Receiver	PIM Stub Compatible	Weight
LCAB-G1UPA1PIN	ANT.67827	Pine	Antenna Branch	Short Right Legacy	2-5/8" OD Round Pipe	No	88 lbs.
LCAB-G1UPA2PIN	ANT.67828	Pine	Antenna Branch	Medium Right Legacy	2-5/8" OD Round Pipe	No	95 lbs.
LCAB-G1UPA3PIN	ANT.67829	Pine	Antenna Branch	Long Right Legacy	2-5/8" OD Round Pipe	No	101 lbs.
LCAB-G1UPB1PIN	ANT.67830	Pine	Antenna Branch	Short Center Legacy	2-5/8" OD Round Pipe	No	62 lbs.
LCAB-G1UPB2PIN	ANT.67831	Pine	Antenna Branch	Medium Center Legacy	2-5/8" OD Round Pipe	No	66 lbs.
LCAB-G1UPB3PIN	ANT.67832	Pine	Antenna Branch	Long Center Legacy	2-5/8" OD Round Pipe	No	71 lbs.
LCAB-G1UPC1PIN	ANT.67833	Pine	Antenna Branch	Short Left Legacy	2-5/8" OD Round Pipe	No	88 lbs.
LCAB-G1UPC2PIN	ANT.67834	Pine	Antenna Branch	Medium Left Legacy	2-5/8" OD Round Pipe	No	95 lbs.
LCAB-G1UPC3PIN	ANT.67835	Pine	Antenna Branch	Long Left Legacy	2-5/8" OD Round Pipe	No	101 lbs.
LCSB-G1BR4PIN	ANT.67844	Pine	Branch	4' Legacy	3-5/8" OD Round Pipe	No	10 lbs.
LCSB-G1BR6PIN	ANT.67845	Pine	Branch	6' Legacy	3-5/8" OD Round Pipe	No	29 lbs.
LCSB-G1BR7PIN	ANT.67846	Pine	Branch	7' Legacy	3-5/8" OD Round Pipe	No	34 lbs.
LCSB-G1BR8PIN	ANT.67847	Pine	Branch	8' Legacy	3-5/8" OD Round Pipe	No	54 lbs.
LCSB-G1BR9PIN	ANT.67848	Pine	Branch	9' Legacy	3-5/8" OD Round Pipe	No	56 lbs.
LCSB-G1BR10PIN	ANT.67849	Pine	Branch	10' Legacy	3-5/8" OD Round Pipe	No	69 lbs.
LCSB-G1BR11PIN	ANT.67850	Pine	Branch	11' Legacy	3-5/8" OD Round Pipe	No	72 lbs.
LCSB-G1CROWN1PIN	ANT.67851	Pine	Crown Branch	7' Legacy Crown	3-5/8" OD Round Pipe	No	62 lbs.

Elm Concealment Branch

These concealment Branches mimic Elm foliage for effective antenna concealment. Available in standard, top, and crossarm styles, they mount securely on compatible pipes or stubs with included hardware.

- Elm foliage for realistic concealment
- Fits over standard 1" pipe / 1-1/4" OD pipe/stub (not included)
- Includes (2) 1/4" x 3-1/2" bolts, nylock nuts, and washer sets
- Tethered branch styles are equipped with an internal safety restraint that temporarily prevents the branch from falling if damaged
- Premium branch styles offer tertiary arms that enhance foliage density for a heavier coverage appearance



SKU	CEQ #	Type	Description	PIM Stub Compatible	Weight
LCSB-XRM24ELM	—	Elm	2' Crossarm	Yes	4 lbs.
LCSB-G348ELM	—	Elm	4' Standard	Yes	13 lbs.
LCSB-G372ELM	—	Elm	6' Standard	Yes	21 lbs.
LCSB-G396ELM	—	Elm	8' Standard	Yes	27 lbs.
LCSB-G3120ELM	—	Elm	10' Standard	Yes	35 lbs.
LCSB-G3144ELM	ANT.67852	Elm	12' Standard	No	70 lbs.
LCSB-G3168ELM	—	Elm	14' Standard	No	91 lbs.
LCSB-G3192ELM	—	Elm	16' Standard	No	118 lbs.
LCTB-G360ELM	—	Elm	5' Top	Yes	13 lbs.
LCSB-TG348ELM	ANT.67418	Elm	4' Standard Tethered	Yes	10 lbs.
LCSB-TG372ELM	ANT.67449	Elm	6' Standard Tethered	Yes	21 lbs.
LCSB-TG396ELM	ANT.67409	Elm	8' Standard Tethered	Yes	27 lbs.
LCSB-TG3120ELM	ANT.67435	Elm	10' Standard Tethered	Yes	35 lbs.
LCSB-TG3144ELM	ANT.67853	Elm	12' Standard Tethered	No	70 lbs.
LCSB-TG3168ELM	—	Elm	14' Standard Tethered	No	91 lbs.
LCSB-TG3192ELM	—	Elm	16' Standard Tethered	No	118 lbs.
LCTB-TG360ELM	ANT.67417	Elm	5' Top Tethered	Yes	13 lbs.
LCSB-G248ELM	—	Elm	4' Premium	Yes	14 lbs.
LCSB-G272ELM	—	Elm	6' Premium	Yes	23 lbs.
LCSB-G296ELM	—	Elm	8' Premium	Yes	30 lbs.
LCSB-G2120ELM	—	Elm	10' Premium	Yes	38 lbs.
LCSB-G2144ELM	ANT.67854	Elm	12' Premium	No	76 lbs.
LCSB-TG248ELM	ANT.67395	Elm	4' Premium Tethered	Yes	11 lbs.
LCSB-TG272ELM	ANT.67396	Elm	6' Premium Tethered	Yes	23 lbs.
LCSB-TG296ELM	ANT.67455	Elm	8' Premium Tethered	Yes	30 lbs.
LCSB-TG2120ELM	ANT.67414	Elm	10' Premium Tethered	Yes	38 lbs.
LCSB-TG2144ELM	ANT.67855	Elm	12' Premium Tethered	No	76 lbs.

Eucalyptus Concealment Branch

These concealment Branches mimic Eucalyptus foliage for effective antenna concealment. Available in standard, top, and crossarm styles, they mount securely on compatible pipes or stubs with included hardware.

- Eucalyptus foliage for realistic concealment
- Fits over standard 1" pipe / 1-1/4" OD pipe/stub (not included)
- Includes (2) 1/4" x 3-1/2" bolts, nylock nuts, and washer sets
- Tethered branch styles are equipped with an internal safety restraint that temporarily prevents the branch from falling if damaged
- Premium branch styles offer tertiary arms that enhance foliage density for a heavier coverage appearance



SKU	CEQ #	Type	Description	PIM Stub Compatible	Weight
LCSB-XRM24EUC	—	Eucalyptus	2' Crossarm	Yes	4 lbs.
LCSB-G348EUC	—	Eucalyptus	4' Standard	Yes	10 lbs.
LCSB-G372EUC	—	Eucalyptus	6' Standard	Yes	21 lbs.
LCSB-G396EUC	—	Eucalyptus	8' Standard	Yes	27 lbs.
LCSB-G3120EUC	—	Eucalyptus	10' Standard	Yes	35 lbs.
LCSB-G3144EUC	ANT.67856	Eucalyptus	12' Standard	No	70 lbs.
LCSB-G3168EUC	—	Eucalyptus	14' Standard	No	91 lbs.
LCSB-G3192EUC	—	Eucalyptus	16' Standard	No	118 lbs.
LCTB-G360EUC	—	Eucalyptus	5' Top	Yes	13 lbs.
LCSB-TG348EUC	ANT.67447	Eucalyptus	4' Standard Tethered	Yes	10 lbs.
LCSB-TG372EUC	ANT.67459	Eucalyptus	6' Standard Tethered	Yes	21 lbs.
LCSB-TG396EUC	ANT.67393	Eucalyptus	8' Standard Tethered	Yes	27 lbs.
LCSB-TG3120EUC	ANT.67399	Eucalyptus	10' Standard Tethered	Yes	35 lbs.
LCSB-TG3144EUC	ANT.67857	Eucalyptus	12' Standard Tethered	No	70 lbs.
LCSB-TG3168EUC	—	Eucalyptus	14' Standard Tethered	No	91 lbs.
LCSB-TG3192EUC	—	Eucalyptus	16' Standard Tethered	No	118 lbs.
LCTB-TG360EUC	ANT.67465	Eucalyptus	5' Top Tethered	Yes	13 lbs.
LCSB-G248EUC	—	Eucalyptus	4' Premium	Yes	11 lbs.
LCSB-G272EUC	—	Eucalyptus	6' Premium	Yes	23 lbs.
LCSB-G296EUC	—	Eucalyptus	8' Premium	Yes	30 lbs.
LCSB-G2120EUC	—	Eucalyptus	10' Premium	Yes	38 lbs.
LCSB-G2144EUC	ANT.67858	Eucalyptus	12' Premium	No	76 lbs.
LCSB-TG248EUC	ANT.67444	Eucalyptus	4' Premium Tethered	Yes	11 lbs.
LCSB-TG272EUC	ANT.67454	Eucalyptus	6' Premium Tethered	Yes	23 lbs.
LCSB-TG296EUC	ANT.67401	Eucalyptus	8' Premium Tethered	Yes	30 lbs.
LCSB-TG2120EUC	ANT.67406	Eucalyptus	10' Premium Tethered	Yes	38 lbs.
LCSB-TG2144EUC	ANT.67859	Eucalyptus	12' Premium Tethered	No	76 lbs.

Tree Stubs

Our Tree Stubs can be used on new and existing Larson Mono-Trees, whether Pine, Elm, or Eucalyptus.

- Compatible with many Larson and some OEM manufacturers
- Designed to fit into either 1-1/8" x 7TPI or 1-1/4" x 7TPI round threaded branch receivers
- Comes in Standard Strength, Grade 55, for 2' to 10' branches. Available in Heavy Duty Strength, Grade 105, for 12' to 14' branches




SKU	CEQ #	Branch Density	Stub Strength	Weight
LCSB-TSTUB113M	—	3 Branches per Linear Foot	Standard - Grade 55	6 lbs.
LCSB-TSTUB113H	—	4 Branches per Linear Foot	Standard - Grade 55	6 lbs.
LCSB-TSTUB125M	—	3 Branches per Linear Foot	Standard - Grade 55	6 lbs.
LCSB-TSTUB125H	—	4 Branches per Linear Foot	Standard - Grade 55	6 lbs.
LCSB-THSTUB113M	—	3 Branches per Linear Foot	Heavy Duty - Grade 105	6 lbs.
LCSB-THSTUB113H	—	4 Branches per Linear Foot	Heavy Duty - Grade 105	6 lbs.
LCSB-THSTUB125M	—	3 Branches per Linear Foot	Heavy Duty - Grade 105	7 lbs.
LCSB-THSTUB125H	—	4 Branches per Linear Foot	Heavy Duty - Grade 105	7 lbs.

PIM Tree Stubs

Our PIM Tree Stubs are an industry pioneering PIM-friendly tree solutions, exemplified by our patented (US 11,955,700 B1) PIM Tree™ products.

- Consistently achieving IM3 levels below -100 dBm (a reduction of -39.4dBm at 850MHz and -30.5dBm at 1900MHz)
- Metal on metal component contact is isolated to eliminate PIM
- Compatible with many Larson and some OEM manufacturers
- Designed to fit into either 1-1/8" x 7TPI or 1-1/4" x 7TPI round threaded branch receivers
- Comes in Standard Strength, Grade 55, for 2' to 10' branches. Available in Heavy Duty Strength, Grade 105, for 12' to 14' branches




SKU	CEQ #	Branch Density	Stub Strength	Receiver Size	Weight
LCSB-PTHSTUB113H	ANT.67861	4 Branches per Linear Foot	Heavy Duty - Grade 105	1-1/8"	6 lbs.
LCSB-PTHSTUB113M	ANT.67860	3 Branches per Linear Foot	Heavy Duty - Grade 105	1-1/8"	6 lbs.
LCSB-PTHSTUB125H	ANT.67863	4 Branches per Linear Foot	Heavy Duty - Grade 105	1-1/4"	7 lbs.
LCSB-PTHSTUB125M	ANT.67862	3 Branches per Linear Foot	Heavy Duty - Grade 105	1-1/4"	7 lbs.
LCSB-PTSTUB113H	BLD.60941	4 Branches per Linear Foot	Standard - Grade 55	1-1/8"	6 lbs.
LCSB-PTSTUB113M	BLD.60997	3 Branches per Linear Foot	Standard - Grade 55	1-1/8"	6 lbs.
LCSB-PTSTUB125H	BLD.60945	4 Branches per Linear Foot	Standard - Grade 55	1-1/4"	6 lbs.
LCSB-PTSTUB125M	BLD.60999	3 Branches per Linear Foot	Standard - Grade 55	1-1/4"	6 lbs.

Bolt-On Branch Receiver

These Bolt-On Branch Receivers can be used to add additional branches to existing mono-trees.

- Can be used with Larson 1-1/4" PIM Mitigating or Standard Branch Receiver Stubs
- 70° option can be rotated 180° for 20° option
- Made of HDG Steel and Hardware painted brown

SKU	CEQ #	Stub Angle	Weight
LCBR-TSTUB125A70	ANT.67865	70°	4 lbs.
LCBR-TSTUB125A90	ANT.67864	90° - Perpendicular to Pole	4 lbs.



Palm Concealment Date Frond

These concealment fronds mimic Date Palm foliage for effective antenna concealment. Designed for secure mounting, they fit into a compatible HSS square receiver and include all necessary hardware.

- Date Palm foliage for realistic concealment
- Fits into 1-1/4" OD HSS square receiver (not included)
- Includes 5/16" x 2-1/2" zinc-plated attachment bolt, washer, and nylock nut
- Single and Double Tethered designs available for enhanced durability and stability


SKU	CEQ #	Description	Weight
LCDF-DT07	—	7' Double Tethered	7 lbs.
LCDF-DT09	—	9' Double Tethered	12 lbs.
LCDF-DT10	—	10' Double Tethered	14 lbs.
LCDF-REG07	—	7' No Tether	7 lbs.
LCDF-REG09	—	9' No Tether	11 lbs.
LCDF-REG10	—	10' No Tether	14 lbs.
LCDF-ST07	—	7' Single Tethered	7 lbs.
LCDF-ST09	—	9' Single Tethered	12 lbs.
LCDF-ST10	—	10' Single Tethered	14 lbs.



Palm Concealment PIM Friendly Date Frond

Our PIM Date Palm Fronds are an industry pioneering PIM-friendly tree solution, exemplified by our patented (US 11,955,700 B1) PIM Tree™ products.

- Consistently achieving IM3 levels below -100 dBm (a reduction of -42.6dBm at 850MHz and -43.4dBm 1900MHz, with the retainer reduction of -61.7dBm at 850MHz and -63.0dBm at 1900MHz)
- Fabricated from strong but flexible HDPE “leaves” with a high strength pultruded FRP core
- Integrally colored and UV-protected for lasting durability
- Fits standard 1.25” square HSS tube receivers
- Designed to withstand 144 mph wind loading
- Single and Double Tethered designs available for enhanced durability and stability




SKU	CEQ #	Type	Description	Weight
LCDF-PP07	BLD.60998	Palm	7' No Tether	7 lbs.
LCDF-PP09	BLD.60947	Palm	9' No Tether	11 lbs.
LCDF-PP10	BLD.60949	Palm	10' No Tether	14 lbs.
LCDF-PP07-ST	—	Palm	7' Single Tethered	7 lbs.
LCDF-PP09-ST	—	Palm	9' Single Tethered	12 lbs.
LCDF-PP10-ST	—	Palm	10' Single Tethered	14 lbs.
LCDF-PP07-DT	BLD.61001	Palm	7' Double Tethered	7 lbs.
LCDF-PP09-DT	BLD.61002	Palm	9' Double Tethered	12 lbs.
LCDF-PP10-DT	BLD.60943	Palm	10' Double Tethered	14 lbs.

Porcu-Palm Mount

These Porcu-Palm Mounts securely hold date palm fronds for effective antenna concealment. Made from galvanized steel for durability, each mount includes multiple 1-1/4" OD HSS square receivers for frond attachment.

- Galvanized steel construction for durability
- Accommodates up to 66, 81, or 99 date palm fronds (not included)
- Integrated 1-1/4" OD HSS square receivers for secure frond attachment
- Compatible with MMxx, SV197-xx, and DSMx standoffs/support arms (not included)



SKU	CEQ #	Mount Height	Frond Capacity	Weight
LCPM-PPM30-66	ANT.67403	30"	66	603 lbs.
LCPM-PPM36-81	ANT.67426	36"	81	728 lbs.
LCPM-PPM60-99	ANT.67446	60"	99	808 lbs.

Date Palm Band Clamp

These Date Palm Band Clamp provide a complete solution for concealment of tower mounted equipment or a 2nd carrier on a tower. Designed for secure pole attachment, included mounting hardware ensure quick and efficient installation.

- Designed for concealment of antennas on various pole sizes
- Available with 34" or 49" clearance from pole to frond receivers
- 1-1/4" OD HSS square receivers securely hold date palm fronds
- Accommodates pole diameters from 14" to 28"
- Includes 3/4" all-thread, nuts, washers, and frond attachment hardware



SKU	CEQ #	Mount Height	Frond Capacity	Pole Diameter Range	Weight
LCBC-0600DP-1417-18	—	6"	18	14"-17"	237 lbs.
LCBC-0600DP-1417-27	ANT.67452	6"	27	14"-17"	267 lbs.
LCBC-0600DP-1721-18	—	6"	18	17"-21"	246 lbs.
LCBC-0600DP-1721-27	ANT.67438	6"	27	17"-21"	279 lbs.
LCBC-0600DP-2124-18	—	6"	18	21"-24"	255 lbs.
LCBC-0600DP-2124-27	ANT.67408	6"	27	21"-24"	285 lbs.
LCBC-0600DP-2428-18	—	6"	18	24"-28"	264 lbs.
LCBC-0600DP-2428-27	ANT.67440	6"	27	24"-28"	294 lbs.

Date Palm Bent Angle Adapter

Our Palm Bent Angle Adapters allow Date Palm Fronds to be installed at various angles, creating a more natural Palm Tree aesthetic.

- Used to help adjust Palm Fronds angle so more fronds can fit around equipment
- Made out HDG steel
- Come in angles of 15°, 25°, and 35°
- Compatible with 1-1/4" OD HSS square receivers to securely hold date palm fronds



SKU	CEQ #	Bent Angle	Weight
LCBA-DP15	ANT.67436	15°	5 lbs.
LCBA-DP25	ANT.67413	25°	5 lbs.
LCBA-DP35	ANT.67416	35°	5 lbs.

Date Palm Receiver Adapter

These Date Palm Receiver Adapters can be used to attach Larson Date Palm Fronds to existing Mono-Palms that use Round Pipe Frond Receivers.

- Allows for connection between 1" OD Round Pipe Frond Receiver to Larson 1-1/4" Square Palm Fronds
- Made out of HDG Steel
- Compatible with Larson Standard and PIM Friendly Date Palm Fronds



SKU	CEQ #	Tree Receiver	Frond Receiver	PIM Frond Compatible	Weight
LCRA-PP100RP125SQ	ANT.67866	1" OD Round Pipe	1-1/4" OD HSS Square Pipe	Yes	5 lbs.
LCRA-100RP125SQ	—	1" OD Round Pipe	1-1/4" OD HSS Square Pipe	No	5 lbs.

Pineapple

These Pineapples can be used to provide a more natural palm tree look for both new and existing sites.

- Comes in decorative or functional options. Functional Pineapples can be used to conceal antennas, RRUs, other equipment, or all of the approved.
- Functional Pineapples can be used to retrofit existing mono-palm sites for co-location.
- Functional Pineapples are offered in non-cooling, passive cooling, and active cooling options.



SKU	CEQ #	Length	Diameter	Use	Cooling	Weight
LCPP-0000	—	Variable	Variable	Functional	No Cooling, Passive Cooling, & Active Cooling Available	Variable
LCPP-3636	ANT.67867	36"	36"	Decorative	No Cooling	76 lbs.


The background image shows a low-angle shot of a modern, multi-story building with a light-colored facade. A large palm tree is in the foreground on the left. The entire image is covered with a semi-transparent blue overlay. The title 'Architectural Camouflage' is centered in white text, with a short horizontal line underneath it.

Architectural Camouflage

Canister (w/o Venting)

We offer a variety of canister replacements for either new or pre-existing monopole concealment sites.

- Tongue and groove interlocking side seam system, eliminates need for hardware along vertical seam



SKU	CEQ #	Concealment Finish	Concealment Shape	Concealment Diameter	Canister Segment	Concealment Height	Venting	Weight
LCCO-R24BC120NVPO	—	Paint Only	Round	24"	Bisected	10'	Non Vented	-
LCCO-18S24BC120NVPO	—	Paint Only	18-Sided	24"	Bisected	10'	Non Vented	-
LCCO-R24BC144NVPO	—	Paint Only	Round	24"	Bisected	12'	Non Vented	-
LCCO-18S24BC144NVPO	—	Paint Only	18-Sided	24"	Bisected	12'	Non Vented	-
LCCO-R24BC180NVPO	—	Paint Only	Round	24"	Bisected	15'	Non Vented	-
LCCO-18S24BC180NVPO	—	Paint Only	18-Sided	24"	Bisected	15'	Non Vented	-
LCCO-R30BC120NVPO	—	Paint Only	Round	30"	Bisected	10'	Non Vented	-
LCCO-18S30BC120NVPO	—	Paint Only	18-Sided	30"	Bisected	10'	Non Vented	-
LCCO-R30BC144NVPO	—	Paint Only	Round	30"	Bisected	12'	Non Vented	-
LCCO-18S30BC144NVPO	—	Paint Only	18-Sided	30"	Bisected	12'	Non Vented	-
LCCO-R30BC180NVPO	—	Paint Only	Round	30"	Bisected	15'	Non Vented	-
LCCO-18S30BC180NVPO	—	Paint Only	18-Sided	30"	Bisected	15'	Non Vented	-
LCCO-R36BC120NVPO	—	Paint Only	Round	36"	Bisected	10'	Non Vented	-
LCCO-18S36BC120NVPO	—	Paint Only	18-Sided	36"	Bisected	10'	Non Vented	-
LCCO-R36BC144NVPO	—	Paint Only	Round	36"	Bisected	12'	Non Vented	-
LCCO-18S36BC144NVPO	—	Paint Only	18-Sided	36"	Bisected	12'	Non Vented	-
LCCO-R36BC180NVPO	—	Paint Only	Round	36"	Bisected	15'	Non Vented	-
LCCO-18S36BC180NVPO	—	Paint Only	18-Sided	36"	Bisected	15'	Non Vented	-
LCCO-R42BC120NVPO	—	Paint Only	Round	42"	Bisected	10'	Non Vented	-
LCCO-18S42BC120NVPO	—	Paint Only	18-Sided	42"	Bisected	10'	Non Vented	-
LCCO-R42BC144NVPO	—	Paint Only	Round	42"	Bisected	12'	Non Vented	-
LCCO-18S42BC144NVPO	—	Paint Only	18-Sided	42"	Bisected	12'	Non Vented	-
LCCO-R42BC180NVPO	—	Paint Only	Round	42"	Bisected	15'	Non Vented	-
LCCO-18S42BC180NVPO	—	Paint Only	18-Sided	42"	Bisected	15'	Non Vented	-
LCCO-R48TC120NVPO	—	Paint Only	Round	48"	Trisected	10'	Non Vented	-
LCCO-18S48TC120NVPO	—	Paint Only	18-Sided	48"	Trisected	10'	Non Vented	-
LCCO-R48TC144NVPO	—	Paint Only	Round	48"	Trisected	12'	Non Vented	-

Canister (w/o Venting) (Continued)

SKU	CEQ #	Concealment Finish	Concealment Shape	Concealment Diameter	Canister Segment	Concealment Height	Venting	Weight
LCCO-18S48TC144NVPO	—	Paint Only	18-Sided	48"	Trisected	12'	Non Vented	-
LCCO-R48TC180NVPO	—	Paint Only	Round	48"	Trisected	15'	Non Vented	-
LCCO-18S48TC180NVPO	—	Paint Only	18-Sided	48"	Trisected	15'	Non Vented	-
LCCO-R54TC120NVPO	—	Paint Only	Round	54"	Trisected	10'	Non Vented	-
LCCO-18S54TC120NVPO	—	Paint Only	18-Sided	54"	Trisected	10'	Non Vented	-
LCCO-R54TC144NVPO	—	Paint Only	Round	54"	Trisected	12'	Non Vented	-
LCCO-18S54TC144NVPO	—	Paint Only	18-Sided	54"	Trisected	12'	Non Vented	-
LCCO-R54TC180NVPO	—	Paint Only	Round	54"	Trisected	15'	Non Vented	-
LCCO-18S54TC180NVPO	—	Paint Only	18-Sided	54"	Trisected	15'	Non Vented	-
LCCO-R60QC120NVPO	—	Paint Only	Round	60"	Quadsected	10'	Non Vented	-
LCCO-18S60QC120NVPO	—	Paint Only	18-Sided	60"	Quadsected	10'	Non Vented	-
LCCO-R60QC144NVPO	—	Paint Only	Round	60"	Quadsected	12'	Non Vented	-
LCCO-18S60QC144NVPO	—	Paint Only	18-Sided	60"	Quadsected	12'	Non Vented	-
LCCO-R60QC180NVPO	—	Paint Only	Round	60"	Quadsected	15'	Non Vented	-
LCCO-18S60QC180NVPO	—	Paint Only	18-Sided	60"	Quadsected	15'	Non Vented	-
LCCO-R66QC120NVPO	—	Paint Only	Round	66"	Quadsected	10'	Non Vented	-
LCCO-R66QC144NVPO	—	Paint Only	Round	66"	Quadsected	12'	Non Vented	-
LCCO-R66QC180NVPO	—	Paint Only	Round	66"	Quadsected	15'	Non Vented	-
LCCO-R72QC120NVPO	—	Paint Only	Round	72"	Quadsected	10'	Non Vented	-
LCCO-R72QC144NVPO	—	Paint Only	Round	72"	Quadsected	12'	Non Vented	-
LCCO-R72QC180NVPO	—	Paint Only	Round	72"	Quadsected	15'	Non Vented	-
LCCO-R78SS120NVPO	—	Paint Only	Round	78"	Six Segments	10'	Non Vented	-
LCCO-R78SS144NVPO	—	Paint Only	Round	78"	Six Segments	12'	Non Vented	-
LCCO-R78SS180NVPO	—	Paint Only	Round	78"	Six Segments	15'	Non Vented	-
LCCO-R84SS120NVPO	—	Paint Only	Round	84"	Six Segments	10'	Non Vented	-
LCCO-R84SS144NVPO	—	Paint Only	Round	84"	Six Segments	12'	Non Vented	-
LCCO-R84SS180NVPO	—	Paint Only	Round	84"	Six Segments	15'	Non Vented	-
LCCO-R90SS120NVPO	—	Paint Only	Round	90"	Six Segments	10'	Non Vented	-
LCCO-R90SS144NVPO	—	Paint Only	Round	90"	Six Segments	12'	Non Vented	-
LCCO-R90SS180NVPO	—	Paint Only	Round	90"	Six Segments	15'	Non Vented	-
LCCO-R96SS120NVPO	—	Paint Only	Round	96"	Six Segments	10'	Non Vented	-
LCCO-R96SS144NVPO	—	Paint Only	Round	96"	Six Segments	12'	Non Vented	-
LCCO-R96SS180NVPO	—	Paint Only	Round	96"	Six Segments	15'	Non Vented	-

Canisters (w/ Venting)

We offer a variety of canister replacements for either new or pre-existing monopole concealment sites.

- Tongue and groove interlocking side seam system, eliminates need for hardware along vertical seam
- Canisters feature top and bottom vent openings that promote continuous passive airflow, keeping the rad center cool and improving performance and longevity without active cooling.



SKU	CEQ #	Concealment Finish	Concealment Shape	Concealment Diameter	Canister Segment	Concealment Height	Venting	Weight
LCCO-R24BC120PVPO	—	Paint Only	Round	24"	Bisected	10'	Passive Venting	-
LCCO-R24BC144PVPO	—	Paint Only	Round	24"	Bisected	12'	Passive Venting	-
LCCO-R24BC180PVPO	—	Paint Only	Round	24"	Bisected	15'	Passive Venting	-
LCCO-R30BC120PVPO	—	Paint Only	Round	30"	Bisected	10'	Passive Venting	-
LCCO-R30BC144PVPO	—	Paint Only	Round	30"	Bisected	12'	Passive Venting	-
LCCO-R30BC180PVPO	—	Paint Only	Round	30"	Bisected	15'	Passive Venting	-
LCCO-R36BC120PVPO	—	Paint Only	Round	36"	Bisected	10'	Passive Venting	-
LCCO-R36BC144PVPO	—	Paint Only	Round	36"	Bisected	12'	Passive Venting	-
LCCO-R36BC180PVPO	—	Paint Only	Round	36"	Bisected	15'	Passive Venting	-
LCCO-R42BC120PVPO	—	Paint Only	Round	42"	Bisected	10'	Passive Venting	-
LCCO-R42BC144PVPO	—	Paint Only	Round	42"	Bisected	12'	Passive Venting	-
LCCO-R42BC180PVPO	—	Paint Only	Round	42"	Bisected	15'	Passive Venting	-
LCCO-R48TC120PVPO	—	Paint Only	Round	48"	Trisected	10'	Passive Venting	-
LCCO-R48TC144PVPO	—	Paint Only	Round	48"	Trisected	12'	Passive Venting	-
LCCO-R48TC180PVPO	—	Paint Only	Round	48"	Trisected	15'	Passive Venting	-
LCCO-R54TC120PVPO	—	Paint Only	Round	54"	Trisected	10'	Passive Venting	-
LCCO-R54TC144PVPO	—	Paint Only	Round	54"	Trisected	12'	Passive Venting	-
LCCO-R54TC180PVPO	—	Paint Only	Round	54"	Trisected	15'	Passive Venting	-
LCCO-R60QC120PVPO	—	Paint Only	Round	60"	Quadsected	10'	Passive Venting	-
LCCO-R60QC144PVPO	—	Paint Only	Round	60"	Quadsected	12'	Passive Venting	-
LCCO-R60QC180PVPO	—	Paint Only	Round	60"	Quadsected	15'	Passive Venting	-
LCCO-R66QC120PVPO	—	Paint Only	Round	66"	Quadsected	10'	Passive Venting	-
LCCO-R66QC144PVPO	—	Paint Only	Round	66"	Quadsected	12'	Passive Venting	-
LCCO-R66QC180PVPO	—	Paint Only	Round	66"	Quadsected	15'	Passive Venting	-
LCCO-R72QC120PVPO	—	Paint Only	Round	72"	Quadsected	10'	Passive Venting	-
LCCO-R72QC144PVPO	—	Paint Only	Round	72"	Quadsected	12'	Passive Venting	-
LCCO-R72QC180PVPO	—	Paint Only	Round	72"	Quadsected	15'	Passive Venting	-

Index by Part Number

900864-00	8	LCAB-TTIPPIN	9	LCBC-0600DP-2428-27	17
900864-1	8	LCAS-72DP-SW	6	LCBR-TSTUB125A70	15
900864-2	8	LCAS-72ELM-SWHF	6	LCBR-TSTUB125A90	15
900864-3	8	LCAS-72ELM-SWSF	6	LCCO-18S24BC120NVPO	20
900864-4	8	LCAS-72ELM-XWHF	6	LCCO-18S24BC144NVPO	20
LCAB-FANELM	9	LCAS-72ELM-XWSF	6	LCCO-18S24BC180NVPO	20
LCAB-FANEUC	9	LCAS-72EUC-SWHF	6	LCCO-18S30BC120NVPO	20
LCAB-FANPIN	9	LCAS-72EUC-SWSF	6	LCCO-18S30BC144NVPO	20
LCAB-G1UPA1PIN	11	LCAS-72EUC-XWHF	6	LCCO-18S30BC180NVPO	20
LCAB-G1UPA2PIN	11	LCAS-72EUC-XWSF	6	LCCO-18S36BC120NVPO	20
LCAB-G1UPA3PIN	11	LCAS-72PIN-SWHF	6	LCCO-18S36BC144NVPO	20
LCAB-G1UPB1PIN	11	LCAS-72PIN-SWSF	6	LCCO-18S36BC180NVPO	20
LCAB-G1UPB2PIN	11	LCAS-72PIN-XWHF	6	LCCO-18S42BC120NVPO	20
LCAB-G1UPB3PIN	11	LCAS-72PIN-XWSF	6	LCCO-18S42BC144NVPO	20
LCAB-G1UPC1PIN	11	LCAS-96DP-SW	6	LCCO-18S42BC180NVPO	20
LCAB-G1UPC2PIN	11	LCAS-96ELM-SWHF	6	LCCO-18S48TC120NVPO	20
LCAB-G1UPC3PIN	11	LCAS-96ELM-SWSF	6	LCCO-18S48TC144NVPO	21
LCAB-LNGELM	9	LCAS-96ELM-XWHF	6	LCCO-18S48TC180NVPO	21
LCAB-LNGEUC	9	LCAS-96ELM-XWSF	6	LCCO-18S54TC120NVPO	21
LCAB-LNGPIN	9	LCAS-96EUC-SWHF	6	LCCO-18S54TC144NVPO	21
LCAB-MEDEL	9	LCAS-96EUC-SWSF	6	LCCO-18S54TC180NVPO	21
LCAB-MEDEUC	9	LCAS-96EUC-XWHF	6	LCCO-18S60QC120NVPO	21
LCAB-MEDPIN	9	LCAS-96EUC-XWSF	6	LCCO-18S60QC144NVPO	21
LCAB-TFANELM	9	LCAS-96PIN-SWHF	6	LCCO-18S60QC180NVPO	21
LCAB-TFANEUC	9	LCAS-96PIN-SWSF	6	LCCO-R24BC120NVPO	20
LCAB-TFANPIN	9	LCAS-96PIN-XWHF	6	LCCO-R24BC120PVPO	22
LCAB-TIPELM	9	LCAS-96PIN-XWSF	6	LCCO-R24BC144NVPO	20
LCAB-TIPEUC	9	LCBA-DP15	17	LCCO-R24BC144PVPO	22
LCAB-TIPPIN	9	LCBA-DP25	17	LCCO-R24BC180NVPO	20
LCAB-TLNGELM	9	LCBA-DP35	17	LCCO-R24BC180PVPO	22
LCAB-TLNGEUC	9	LCBC-0600DP-1417-18	17	LCCO-R30BC120NVPO	20
LCAB-TLNGPIN	9	LCBC-0600DP-1417-27	17	LCCO-R30BC120PVPO	22
LCAB-TMEDEL	9	LCBC-0600DP-1721-18	17	LCCO-R30BC144NVPO	20
LCAB-TMEDEUC	9	LCBC-0600DP-1721-27	17	LCCO-R30BC144PVPO	22
LCAB-TMEDPIN	9	LCBC-0600DP-2124-18	17	LCCO-R30BC180NVPO	20
LCAB-TTIPELM	9	LCBC-0600DP-2124-27	17	LCCO-R30BC180PVPO	22
LCAB-TTIPEUC	9	LCBC-0600DP-2428-18	17	LCCO-R36BC120NVPO	20

Index by Part Number (Continued)

LCCO-R72QC180NVPO	21	LCRA-100RP125SQ	18	LCSB-G1CROWN1PIN	11
LCCO-R72QC180PVPO	22	LCRA-PP100RP125SQ	18	LCSB-G2120ELM	12
LCCO-R78SS120NVPO	21	LCRS-36DP-SW	7	LCSB-G2120EUC	13
LCCO-R78SS144NVPO	21	LCRS-36DP-XW	7	LCSB-G2120PIN	10
LCCO-R78SS180NVPO	21	LCRS-36ELM-SWHF	7	LCSB-G2144ELM	12
LCCO-R84SS120NVPO	21	LCRS-36ELM-SWSF	7	LCSB-G2144EUC	13
LCCO-R84SS144NVPO	21	LCRS-36ELM-XWHF	7	LCSB-G2144PIN	10
LCCO-R84SS180NVPO	21	LCRS-36ELM-XWSF	7	LCSB-G248ELM	12
LCCO-R90SS120NVPO	21	LCRS-36EUC-SWHF	7	LCSB-G248EUC	13
LCCO-R90SS144NVPO	21	LCRS-36EUC-SWSF	7	LCSB-G248PIN	10
LCCO-R90SS180NVPO	21	LCRS-36EUC-XWHF	7	LCSB-G272ELM	12
LCCO-R96SS120NVPO	21	LCRS-36EUC-XWSF	7	LCSB-G272EUC	13
LCCO-R96SS144NVPO	21	LCRS-36PIN-SWHF	7	LCSB-G272PIN	10
LCCO-R96SS180NVPO	21	LCRS-36PIN-SWSF	7	LCSB-G296ELM	12
LCDF-DT07	15	LCRS-36PIN-XWHF	7	LCSB-G296EUC	13
LCDF-DT09	15	LCRS-36PIN-XWSF	7	LCSB-G296PIN	10
LCDF-DT10	15	LCRS-48DP-SW	7	LCSB-G3120ELM	12
LCDF-PP07	16	LCRS-48DP-XW	7	LCSB-G3120EUC	13
LCDF-PP07-DT	16	LCRS-48ELM-SWHF	7	LCSB-G3120PIN	10
LCDF-PP07-ST	16	LCRS-48ELM-SWSF	7	LCSB-G3144ELM	12
LCDF-PP09	16	LCRS-48ELM-XWHF	7	LCSB-G3144EUC	13
LCDF-PP09-DT	16	LCRS-48ELM-XWSF	7	LCSB-G3144PIN	10
LCDF-PP09-ST	16	LCRS-48EUC-SWHF	7	LCSB-G3168ELM	12
LCDF-PP10	16	LCRS-48EUC-SWSF	7	LCSB-G3168EUC	13
LCDF-PP10-DT	16	LCRS-48EUC-XWHF	7	LCSB-G3168PIN	10
LCDF-PP10-ST	16	LCRS-48EUC-XWSF	7	LCSB-G3192ELM	12
LCDF-REG07	15	LCRS-48PIN-SWHF	7	LCSB-G3192EUC	13
LCDF-REG09	15	LCRS-48PIN-SWSF	7	LCSB-G3192PIN	10
LCDF-REG10	15	LCRS-48PIN-XWHF	7	LCSB-G348ELM	12
LCDF-ST07	15	LCRS-48PIN-XWSF	7	LCSB-G348EUC	13
LCDF-ST09	15	LCSB-G1BR10PIN	11	LCSB-G348PIN	10
LCDF-ST10	15	LCSB-G1BR11PIN	11	LCSB-G372ELM	12
LCPM-PPM30-66	16	LCSB-G1BR4PIN	11	LCSB-G372EUC	13
LCPM-PPM36-81	16	LCSB-G1BR6PIN	11	LCSB-G372PIN	10
LCPM-PPM60-99	16	LCSB-G1BR7PIN	11	LCSB-G396ELM	12
LCPP-0000	18	LCSB-G1BR8PIN	11	LCSB-G396EUC	13
LCPP-3636	18	LCSB-G1BR9PIN	11	LCSB-G396PIN	10

Index by Part Number (Continued)

LCSB-TG372EUC	13
LCSB-TG372PIN	10
LCSB-TG396ELM	12
LCSB-TG396EUC	13
LCSB-TG396PIN	10
LCSB-THSTUB113H	14
LCSB-THSTUB113M	14
LCSB-THSTUB125H	14
LCSB-THSTUB125M	14
LCSB-TSTUB113H	14
LCSB-TSTUB113M	14
LCSB-TSTUB125H	14
LCSB-TSTUB125M	14
LCSB-XRM24ELM	12
LCSB-XRM24EUC	13
LCSB-XRM24PIN	10
LCTB-G360ELM	12
LCTB-G360EUC	13
LCTB-G360PIN	10
LCTB-TG360ELM	12
LCTB-TG360EUC	13
LCTB-TG360PIN	10



© 2026 Valmont Telecommunications, Inc. All rights reserved.

15000 Valmont Plaza, Omaha, NE 68154 USA

Valmont is committed to providing products and services that enhance the lives of our customers, employees, and communities and to do so in an increasingly efficient and environmentally friendly manner. For more information about our commitment to sustainability, please visit investors.valmont.com/sustainability.

Updated: 07/26 Document: VT-LRS-002